

The Beiter SCOPE Ø29

ACCESSORIES

BEITER SHIELD FOR LEVEL AND AIMING INSERTS

SHIELD for LEVEL


Without Pin (a) or with Pin (b), with break-through.

Colours: **Black, Red, Green, Orange, Clear**

MOUNTING ADVICE for the SHIELD

To install the shield, first push out the level, than insert the shield (pins backwards) in the device of the scope body.

Reinstall and clip in the level.



SIGHT INSERTS

Rings and Squares are available in following colours: **Black, Red, Green, Orange**

Rings: 4mm (c), 6mm (d) or 9mm (e)
Square: 6mm (f) or 9mm (g)

The 4mm Ring is only to be used on the shield for level without pin!

Using sight inserts, the cross in the thread ring should be cut out with small pliers.

BEITER SCOPE Ø29 - ACCESSORIES

Code#	Description
Shield for (small) Level	
SCADDBRT	Shield for Level with break-through Red
SCADDBSW	Shield for Level with break-through Black
SCADDBGR	Shield for Level with break-through Green
SCADDBOR	Shield for Level with break-through Orange
SCADDBKL	Shield for Level with break-through Clear
SCADDBPRT	Shield for Level with break-through & Pin Red
SCADDBPSW	Shield for Level with break-through & Pin Black
SCADDBPGR	Shield for Level with break-through & Pin Green
SCADDBPOR	Shield for Level with break-through & Pin Orange
SCADDBPKL	Shield for Level with break-through & Pin Clear
Level Ø10 mm	
SCEWW10GR	Scope Ø29, Level Ø10mm, Green
SCETWWRT	Scope Ø29, Support for Level Ø10mm, Red
SCETWWSW	Scope Ø29, Support for Level Ø10mm, Black
SCETWWGR	Scope Ø29, Support for Level Ø10mm, Green
SCETWWOR	Scope Ø29, Support for Level Ø10mm, Orange
SCETWWKL	Scope Ø29, Support for Level Ø10mm, Clear
SCEHWWRT	Scope Ø29, Holder for Support, Red
SCEHWWSW	Scope Ø29, Holder for Support, Black
SCEHWWGR	Scope Ø29, Holder for Support, Green
SCEHWWOR	Scope Ø29, Holder for Support, Orange
SCEHWWKL	Scope Ø29, Holder for Support, Clear
Aiming Inserts - Rings and Squares	
SCR4RT	Scope Aiming Insert, Ring, Red, Ø4mm
SCR4SW	Scope Aiming Insert, Ring, Black, Ø4mm
SCR4GR	Scope Aiming Insert, Ring, Green, Ø4mm
SCR4OR	Scope Aiming Insert, Ring, Orange, Ø4mm
SCR6RT	Scope Aiming Insert, Ring, Red, Ø6mm
SCR6SW	Scope Aiming Insert, Ring, Black, Ø6mm
SCR6GR	Scope Aiming Insert, Ring, Green, Ø6mm
SCR6OR	Scope Aiming Insert, Ring, Orange, Ø6mm
SCR9RT	Scope Aiming Insert, Ring, Red, Ø9mm
SCR9SW	Scope Aiming Insert, Ring, Black, Ø9mm
SCR9GR	Scope Aiming Insert, Ring, Green, Ø9mm
SCR9OR	Scope Aiming Insert, Ring, Orange, Ø9mm
SCV6RT	Scope Aiming Insert, Square, Red, Ø6mm
SCV6SW	Scope Aiming Insert, Square, Black, Ø6mm
SCV6GR	Scope Aiming Insert, Square, Green, Ø6mm
SCV6OR	Scope Aiming Insert, Square, Orange, Ø6mm
SCV9RT	Scope Aiming Insert, Square, Red, Ø9mm
SCV9SW	Scope Aiming Insert, Square, Black, Ø9mm
SCV9GR	Scope Aiming Insert, Square, Green, Ø9mm
SCV9OR	Scope Aiming Insert, Square, Orange, Ø9mm

The Beiter SCOPE Ø29


ACCESSORIES

BEITER SHIELD FOR LEVEL AND AIMING INSERTS

Beiter Aiming Kit 1 and 2 are delivered in a smart plastic box to prevent the single parts from getting lost!



BEITER SCOPE Ø29 - Aiming Kit 1




SCKIT1 GR

* available colours:

Black (SW), Red (RT), Green (GR), Orange (OR)

BEITER SCOPE Ø29 - Aiming Kit 2



Colour of the Shield for Level with/without Pin, Rings and Squares*

Holder for Level (KL = Clear, SW = Black)

* available Colours:

Black (SW), Red (RT), Green (GR), Orange (OR)



Beiter Scope Ø29 Deluxe Basic Unit. Aiming Kit 1 in Red (Level Ø10mm, incl. Support, Support with Pin, Holder for Support, 5 Aiming Dots): displayed is the combination of Support with Pin and Ring Ø9mm

BEITER SCOPE Ø29 WITH LEVEL Ø10MM (KIT 1)

The system consists of: 1 ea. Support with/without Pin, 1 Holder for Support, 1 green Level Ø10mm.

Mounting Advice: mount the desired sight insert on the support.

Clip the level into the support and insert it (pins backwards) in the device of the scope body.

Now clip in the holder for support.

Effect: the level will turn into the colour of the used support/holder combination!

The Beiter SCOPE Ø29

ACCESSORIES

BEITER WEATHERSHIELD FOR SCOPE Ø29



The Beiter Scope and Weathershield provides the solution for shooting in the rain or respectively strong sun. The Weathershield prevents the lens from becoming wet and if it is very sunny prevents the sun from blinding the archer. The Weathershield has to be fixed on the top of the scope with the black rings delivered with it.


It can be used by both left- and right-handed archers. The Black and the Red Weathershield should be used in sunny conditions, the Light one when it rains and/or the light conditions are not too good.

Available Colours: **Black, Light** and **Red**



The Beiter Weathershield for Scope Ø29 is available in 3 colours: Red, Light or Black

FLUOR PINS



HINT:

Pull out the Fluor-Pin after every training session and tournament. It won't wear out. But, if you don't do this, the pin could possibly fall out while shooting; this due to the reaction of the special plastics and the very small tolerances allowed during production (less than 0,002 mm!) To preserve the Pin, simply insert it into your Beiter Armguard.

FLUOR PINS

Code#	fit for	diam. "A" in mm	view "B" in mm	Colour				
				fl.red	fl.green	fl.orange	fl.blue	black
				RT	GR	OR	BL	SW
FP1515__	VTINS7	1,5	1,5	●	●	●	●	●
	VTINS17							
	VTINS18							
	VTINS19							
	SCEGR15							
FP1525__	VTINS7	1,5	2,5	●	●	●	●	
	VTINS17							
	VTINS18							
	VTINS19							
	SCEGR15							
FP2525__	VTINS3	2,5	2,5	●	●	●	●	●
	VTINS13							
	SCEGR25							
FP2535__	VTINS3	2,5	3,5	●	●	●	●	
	VTINS13							
	SCEGR25							
FP2535K__	VTINS3	2,5	Cross 3,5	●	●	●		
	VTINS13							
	SCEGR25							


The Beiter SCOPE Ø29

ACCESSORIES

ZEISS MICROFIBER CLEANING PAD

We offer an original ZEISS MICROFIBER Cleaning Pad, which helps preventing scratches on the coated lens surface while cleaning your Zeiss K-Lens.

Code-number: **SCEZTUCH**



MOUNTING on a SIGHT with no SCOPE ADAPTER

SCE105 (b - 5mm) **SCE102**
(a - 2mm), **SCE85** (b - 5mm)
SCE82 (a - 2mm), **OR52**
(#10-32) or **OR42** (#8-32) - c

ATTENTION! The use of those parts is may help to avoid breaking, but it can not minimize the risk to zero!

BEITER SCOPE Ø29 - ACCESSORIES

Code#	Description
Weathershield	
SCWSHL	Scope Ø29, Weathershield, Light
SCWSRT	Scope Ø29, Weathershield, Red
SCWSSW	Scope Ø29, Weathershield, Black
SCORSW	Scope Ø29, Ring for Weathershield, Black
Level standard (small)	
SCEWWGRKL	Scope Ø29, Level small, Green/Clear
SCEWWGRSW	Scope Ø29, Level small, Green/Black
SCEWWRTKL	Scope Ø29, Level small, Red/Clear
SCEWWRTSW	Scope Ø29, Level small, Red/Black
Level Ø10 mm	
SCEWW10GR	Scope Ø29, Level Ø10mm, Green
SCETWWRT	Scope Ø29, Support for Level Ø10mm, Red
SCETWWSW	Scope Ø29, Support for Level Ø10mm, Black
SCETWWGR	Scope Ø29, Support for Level Ø10mm, Green
SCETWWOR	Scope Ø29, Support for Level Ø10mm, Orange
SCEHWWRT	Scope Ø29, Holder for Support, Red
SCEHWWSW	Scope Ø29, Holder for Support, Black
SCEHWWGR	Scope Ø29, Holder for Support, Green
SCEHWWOR	Scope Ø29, Holder for Support, Orange
Various Accessories	
SC1032	Scope, Threaded Rod, #10-32
SC832	Scope, Threaded Rod, #8-32
SCEM1032	Scope, Nut, #10-32, 10pcs.
SCEM832	Scope, Nut, #8-32, 10pcs.
SCE105	Scope, Spacer, #10-32, 5mm, 10pcs.
SCE102	Scope, Spacer, #10-32, 2mm, 10pcs.
SCE85	Scope, Spacer, #8-32, 5mm, 10pcs.
SCE82	Scope, Spacer, #8-32, 2mm, 10pcs.
OR52	O-Ring 5 x 2 (for Spacer), 10pcs.
OR42	O-Ring 4 x 2 (for Spacer), 10pcs.
SCAD58	Scope, Adapter Ø5 to Ø8

AVOID SCOPE ROD BREAKING!

To avoid the breaking of the threaded Scope Rod - due to the high stress caused by the sight during the shot - we recommend to use the Beiter Scope Adapter 5/8 in combination with a compatible "3rd Axis System"!

Code-number: **SCAD58**



The Beiter SCOPE Ø29

ACCESSORIES

BEITER SCOPE Ø29 - SPARE PARTS	
Code#	Description
Scope Body	
SCE10RKL	Scope Ø29, #10-32, Body single, Clear, RH
SCE10RSW	Scope Ø29, #10-32, Body single, Black, RH
SCE10RRT	Scope Ø29, #10-32, Body single, Red, RH
SCE10RGR	Scope Ø29, #10-32, Body single, Green, RH
SCE10LKL	Scope Ø29, #10-32, Body single, Clear, LH
SCE10LSW	Scope Ø29, #10-32, Body single, Black, LH
SCE10LRT	Scope Ø29, #10-32, Body single, Red, LH
SCE10LGR	Scope Ø29, #10-32, Body single, Green, LH
SCE8RKL	Scope Ø29, #8-32, Body single, Clear, RH
SCE8RSW	Scope Ø29, #8-32, Body single, Black, RH
SCE8RRT	Scope Ø29, #8-32, Body single, Red, RH
SCE8RGR	Scope Ø29, #8-32, Body single, Green, RH
SCE8LKL	Scope Ø29, #8-32, Body single, Clear, LH
SCE8LSW	Scope Ø29, #8-32, Body single, Black, LH
SCE8LRT	Scope Ø29, #8-32, Body single, Red, LH
SCE8LGR	Scope Ø29, #8-32, Body single, Green, LH
Zeiss Lenses Ø29	
SCEZ025	Lens Ø29mm, Zeiss, +0,25
SCEZ050	Lens Ø29mm, Zeiss, +0,50
SCEZ075	Lens Ø29mm, Zeiss, +0,75
SCEZ100	Lens Ø29mm, Zeiss, +1,00
SCEZ125	Lens Ø29mm, Zeiss, +1,25
SCEZTUCH	Cleaning Pad for Zeiss-Lenses
Threaded Ring	
SCEGR15KL	Scope Ø29, Threaded Ring with Cross Hair, hole Ø1,5mm, Clear
SCEGR15SW	Scope Ø29, Threaded Ring with Cross Hair, hole Ø1,5mm, Black
SCEGR15RT	Scope Ø29, Threaded Ring with Cross Hair, hole Ø1,5mm, Red
SCEGR15GR	Scope Ø29, Threaded Ring with Cross Hair, hole Ø1,5mm, Green
SCEGRKL	Scope Ø29, Threaded Ring, Clear
SCEGRSW	Scope Ø29, Threaded Ring, Black
SCEGRRT	Scope Ø29, Threaded Ring, Red
SCEGRGR	Scope Ø29, Threaded Ring, Green
SCEGR25KL	Scope Ø29, Threaded Ring with Cross Hair, hole Ø2,5mm, Clear
SCEGR25SW	Scope Ø29, Threaded Ring with Cross Hair, hole Ø2,5mm, Black
SCEGR25RT	Scope Ø29, Threaded Ring with Cross Hair, hole Ø2,5mm, Red
SCEGR25GR	Scope Ø29, Threaded Ring with Cross Hair, hole Ø2,5mm, Green
Accessories	
SCORKL	O-Ring for Lenses Clear
SCTOOL	Scope, Tool